

Click [here](#) if you are having trouble viewing this message.


July 2016



Lubeletter

UPDATES | PRODUCT RELEASES | NEWS | **& MORE!**

Follow us on: [LinkedIn](#) | [YouTube](#)



Lubricant Testing 101 - Evaporation

An evaporation test indicates a functionality of a lubricant at high temperatures. The test will determine the mass loss of a grease or oil over a period of time.


[Watch video >](#)



New Damping Grease Sample Kit

A new and expanded Damping Grease Sample Kit featuring greases from the Fluorocarbon Gel 868 and NyoGel® 774 series of products is now available.

[Request a kit >](#)



Tribological Testing by SRV®

Friction and wear is measured using an SRV instrument. The SRV measures the physical interactions between a lubricant and two specimens in a loaded contact in either rotational or linear oscillatory motion.

[Read more >](#)

From Source to Tap

Fluorocarbon Gel 880FG and 885FG are two lubricants that are NSF/ANSI 61 approved to be used drinking water applications for both hot and cold water applications from source to

tap.

[Learn more »](#)



Paper Presentations

At the 83rd NLGI Annual Meeting, Jason Galary received the Author Award/Chevron Global Award for best Application Themed Technical Paper, for his presentation of *The Dynamic Particle Generation of Lubricating Greases*.

[More info »](#)

Share this email on:



Nye Lubricants, Inc. 12 Howland Rd., Fairhaven, MA 02719 Ph: +1.508.996.6721

[Unsubscribe to Nye's LubeLetter.](#)